



MONOGRAM

Home Appliances



ABOUT US

Monogram performed extensive research before putting pen to paper on our latest designs and products. After careful consideration, we developed three main pillars to support our new look and feel: Materials, Performance and efficiency... Each of these upholds our commitment to high quality, innovation and our ongoing relationships with consumers. Through these pillars also with providing our new collections, we've created a luxury brand experience which can be touched with all senses.

PERFORMANCE

Every Monogram appliance provides the same experience in your kitchen as it does with international chefs. Through rigorous testing, we learn the limits of our products and make them to last well beyond. Well trained employees in our central office inform consumers and sales agents through demonstrations on our actual products with educational clips and videos, also at events across the world, we let our appliances speak for themselves as celebrity chefs create real meals for our guests and visitors.

OWNERSHIP

One of the most important functions that we do in Monogram companies is to make our appliance ownership to an enjoyable experience. For those times when you need service, our certified technicians will be at your front door to ensure your appliance receives first-class maintenance. In fact, every service project is overseen by a Monogram Service Agent who is dedicated to your project from start to finish to ensure that all work is completed to our standards, and yours. So with Monograms after-sales service, you will never have to worry about anything, because we will always be there for you.







MONOGRAM



Built-in Oven

What kind of food would you like to cook, please just name it. With monogram ovens, you can cook any type of food according to your taste. Due to the types of advanced technologies used in different models of Monogram ovens, we guarantee that the taste of food and its quality will never change.



MGBO 7511 X/B GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 30 Auto Recipe
- 16 Heating Methods
 - Conventional Heat
 - Hot Air Grilling
 - Full Width Grill
 - Half Width Grill
 - Pizza Setting
 - Bottom Heat
 - Low Temperature Cooking
 - Defrost
 - Preheating
 - Keep Warm
 - Plate Warm
 - Hot Air Gentle
 - Conventional Heat Gentle
- Drying
- Proving
- Eco

Features

- Touch Control
- TFT – Touch Display
- Electronic Clock
- Temperature Proposal
- Automatic Rapid Heating Up
- Supporting Systems: Dish Assist
- Max. Window Temperature: 40°C
- Glass Door Panel: 2 Layers
- Removable Glass Door

Cleaning Functions

- Eco Clean Direct
- Cleaning Aid
- Drying

Included Accessories

- 1 x Combination Grids
- 1 x Enamel Baking Tray
- 1 x Universal Pan



MGBO 7213 X/B GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
 - Hot Air Grilling
 - Full Width Grill
 - Half Width Grill
 - Pizza Setting
 - Bottom Heat
 - Low Temperature Cooking
 - Defrost
 - Keep Warm
 - Preheating
 - Hot Air Gentle

Features

Touch Control
LED Display
Electronic Clock
Temperature Proposal
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 2 Layers
Removable Glass Door

Cleaning Functions

Eco Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Multipoint Meat Probe
- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray



MGBO 750314 X/B GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
 - Hot Air Grilling
 - Full Width Grill
 - Half Width Grill
 - Pizza Setting
 - Bottom Heat
 - Low Temperature Cooking
 - Defrost
 - Keep Warm
 - Preheating
 - Hot Air Gentle
 - Conventional Heat Gentle
 - Rotisserie
 - Active Heat

Features

Touch Control
Control Ring
LED Display
Electronic Clock
Temperature Proposal
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Soft Move Door
Max. Window Temperature: 30°C
Glass Door Panel: 3 Layers
Removable Glass Door

Cleaning Functions

Eco Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Multipoint Meat Probe
- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Telescopic Rail
- 1 x rotisserie



MGBO 7315 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 13 Heating Methods
- Conventional Heat
 - Hot Air Grilling
 - Full Width Grill
 - Half Width Grill
 - Pizza Setting
 - Bottom Heat
 - Low Temperature Cooking
 - Defrost
 - Keep Warm
 - Preheating
 - Hot Air Gentle
 - Eco
 - Active Heat

Features

Touch Control
LED Display
Electronic Clock
Temperature Proposal
Soft Move Door
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 2 Layers
Removable Glass Door

Cleaning Functions

Self Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray
- 1 x Telescopic Rail
- 1 x Multipoint Meat Probe



MGBO 7555 B GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
 - Hot Air Grilling
 - Full Width Grill
 - Half Width Grill
 - Pizza Setting
 - Bottom Heat
 - Low Temperature Cooking
 - Defrost
 - Preheating
 - Keep Warm
 - Hot Air Gentle

Features

Touch Control
Control Ring
LED Display
Electronic Clock
Temperature Proposal
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 3 Layers
Removable Glass Door

Cleaning Functions

Eco Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray



MGBO 7369 XS GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 19 Cooking Programs
- 10 Steam Programs
- 14 Heating Methods
- Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Preheating
- Keep Warm
- Hot Air Gentle
- Conventional Heat Gentle
- Eco
- Steam
- Regeneration
- Fermentation
- Defrost
- Hot Air Grilling + Steam
- Warming + Steam
- Conventional Heat + Steam
- Eco steam

Features

Touch Control
LED Display
Electronic Clock
Temperature Proposal
Perfect BakePlus
Steam Function Plus
Perfect Steam
Added Steam Function
Steam Boost
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Water Tank Empty Indicator
Max. Window Temperature:
30°C
Glass Door Panel: 3 Layers
Removable Glass Door

Cleaning Functions

Self Clean Direct
Cleaning Aid
Drying
Descale

Included Accessories

- 1 x Perforated Steam Container, Medium
- 1 x Unperforated Steam Container, Large
- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray



MGBO 7689 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 19 Cooking Programs
- 14 Heating Methods
- Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Defrost
- Keep Warm
- Preheating
- Hot Air Gentle
- Conventional Heat Gentle
- Eco
- Active Heat

Features

Touch Control
LED Display
Electronic Clock
Temperature Proposal
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 3 Layers
Removable Glass Door

Cleaning Functions

Self Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Enamel Baking Tray
- 1 x Telescopic Rail



MGBO 7635 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 11 Heating Methods
- Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Defrost
- Keep Warm
- Preheating
- Hot Air Gentle

Features

Touch Control
Control Ring
LED Display
Electronic Clock
Temperature Proposal
Soft Close Door
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 3 Layers
Removable Glass Door

Cleaning Functions

Self Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Telescopic Rail
- 1 x Enamel Baking Tray



MGBO 7222 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
595 x 594 x 548 mm
Depth with Door Open (D)
1040 mm
Installation Dimensions (HxWxD)
585 - 595 x 560 - 568 x 550 mm

Technical Information

Cavity: 77 L
Total Connected Load: 3.6W
Voltage: 220 – 240V
Power Frequency: 50/60Hz/16A

Performance

- 8 Heating Methods
- Conventional Heat
- Hot Air Grilling
- Full Width Grill
- Half Width Grill
- Pizza Setting
- Bottom Heat
- Low Temperature Cooking
- Preheating

Features

Touch Control
Control Ring
LED Display
Electronic Clock
Temperature Proposal
Perfect Roast Plus
Automatic Rapid Heating Up
Supporting Systems: Dish Assist
Max. Window Temperature: 30°C
Glass Door Panel: 2 Layers

Cleaning Functions

Eco Clean Direct
Cleaning Aid
Drying

Included Accessories

- 1 x Combination Grids
- 1 x Enamel Baking Tray
- 1 x Universal Pan





Built-in Combi

What kind of food would you like to cook, please just name it.
With monogram ovens, you can cook any type of food according to your taste.
Due to the types of advanced technologies used in different models of Monogram ovens,
we guarantee that the taste of food and its quality will never change.

“

MGBM 4411 X/B GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 x 594 x 548 mm
Depth with Door Open (D)
920 mm
Installation Dimensions (HxWxD)
450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L
Microwave (Watts): 90, 180, 360, 600, 900
Total Connected Load: 3.6W
Voltage: 220 – 240V

Performance

- 13 Cooking Program
- 3 Defrost-program
- 8 Heating Methods
 - Bottom Heating
 - Conventional Heat
 - Conventional Heat Gentle
 - Grill, Large Area
 - Grill, Small Area
 - Hotair Gentle
 - Hotair Grill
 - Preheating
 - Microwave
 - Microwave + Hotair Grill
 - Microwave + Conventional Heat

Features

- Touch Control
- LED Display
- Electronic Clock
- Automatic Switch-Off
- World of Recipes
- Hot Air Gentle
- Supporting Systems: Dish Assist
- Cleaning Assistance
- Inverter Magnetron
- Assistance Function
- Cooking Tips
- Max. Window Temperature: 40°C
- Glass Door Panel: 2 Layers

Cleaning Functions

- Cleaning Aid
- Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Glass Pan



MGBM 4433 X/B GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 x 594 x 548 mm
Depth with Door Open (D)
920 mm
Installation Dimensions (HxWxD)
450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L
Microwave (Watts): 90, 180, 360, 600, 900
Total Connected Load: 3.6W
Voltage: 220 – 240V
Output (grill): Max 1650 W

Performance

- 13 Cooking Program
- 3 Defrost-program
- 8 Heating Methods
 - Bottom Heating
 - Conventional Heat
 - Conventional Heat Gentle
 - Grill, Large Area
 - Grill, Small Area
 - Hotair Gentle
 - Hotair Grill
 - Preheating
 - Microwave
 - Microwave + Hotair Grill
 - Microwave + Conventional Heat

Features

- Touch Control
- LED Display
- Electronic Clock
- Automatic Switch-Off
- World of Recipes
- Hot Air Gentle
- Hot Air Gentle
- Cleaning Assistance
- Inverter Magnetron
- Assistance Function
- Cooking Tips
- Max. Window Temperature: 40°C
- Glass Door Panel: 2 Layers

Cleaning Functions

- Cleaning Aid
- Drying

Included Accessories

- 1 x Combination Grid
- 1 x Universal Pan
- 1 x Glass Pan



MGBM 5006 B GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 x 594 x 548 mm
Depth with Door Open (D)
920 mm
Installation Dimensions (HxWxD)
450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 50L
Microwave (Watts): 90, 180, 360, 600, 900
Voltage: 220 – 240V
Power Frequency: 50Hz/16A

Performance

- 13 Cooking Program
- 3 Defrost-program
- 8 Heating Methods
 - Conventional Heat
 - Conventional Heat Gentle
 - Grill, Large Area
 - Grill, Small Area
 - Bottom Heat
 - Hotair Gentle
 - Hotair Grill
 - Preheating
 - Microwave
 - Microwave + Hotair Grill
 - Microwave + Conventional Heat

Features

- Touch Control
- Control Ring
- LED Display
- Electronic Clock
- Automatic Switch-Off
- World of Recipes
- Hotair Gentle
- Supporting Systems: Dish Assist
- Cleaning Assistance
- Inverter Magnetron
- Assistance Function
- Cooking Tips
- Max. Window Temperature: 40°C
- Glass Door Panel: 2 Layers

Cleaning Functions

- Cleaning Aid
- Drying

Included Accessories

- 1 x Combination Grids
- 1 x Universal Pan
- 1 x Glass Pan



MGBM 4512 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 x 594 x 548 mm
Depth with Door Open (D)
920 mm
Installation Dimensions (HxWxD)
450 - 455 x 560 - 568 x 550 mm

Technical Information

Cavity: 38L
Microwave (Watts): 1000 W
Voltage: 220 – 240V
Output (grill): Max 1650 W

Performance

- Microwave
 - Defrost By Weight
 - Defrost By Time
 - Grilling
 - Microwave + Grilling
 - Pizza

Features

- Fully sensor touch control LED
- Fully electronic display cooking
- Duration setting digital clock
- Automatic cut-off timer door
- Interlock stainless steel
- 3 layers glass door
- Child lock system

Cleaning Functions

- Cleaning Aid
- Drying

Included Accessories

- 1 x drive shaft
- 1 x swivel subassembly
- 1 x grilling rack
- 1 x baking tray
- 1 x turntable





Built-in Microwave Warming Drawer

What kind of food would you like to cook, please just name it. With monogram ovens, you can cook any type of food according to your taste. Due to the types of advanced technologies used in different models of Monogram ovens, we guarantee that the taste of food and its quality will never change.



MGBM 26 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 X 594 X 420 mm
Depth with Door Open (D)
895 mm
Installation Dimensions (HxWxD)
410 X 560-568 X 390 mm

Technical Information

Cavity: 26L
Microwave (Watts):
90,180,360,600,900
Total Connected Load: 1.2 W
Voltage: 220 – 240V
Power Frequency: 50hz/60hz/10A

Performance

Warm
Defrost

Features

Touch Control
Control Ring
LED Display
Quick Start
7 Automatic Programs
Weight Control
Cleaning Assistance
Easy Clean
Clock / Timer
Cook Control

MGBM 2808 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 X 594 X 420 mm
Depth with Door Open (D)
895 mm
Installation Dimensions (HxWxD)
410 X 560-568 X 390 mm

Technical Information

Cavity: 26L
Microwave (Watts):
90,180,360,600,900
Total Connected Load: 1.2 W
Voltage: 220 – 240V
Power Frequency: 50hz/60hz/10A

Performance

Warm
Defrost

Features

Touch Control
Control Ring
LED Display
Quick Start
7 Automatic Programs
Weight Control
Cleaning Assistance
Easy Clean
Clock / Timer
Cook Control

MGBW 11 B GE



Measurements (in mm)

Product Dimensions (HxWxD)
140 X 594 X 518 mm
Installation Dimensions (HxWxD)
140-140x560-568x550mm

Technical Information

Total Connected Load: 820W
Voltage: 220 – 240V
Power Frequency: 50/60hz/10A

Features

Push-pull Mechanism
Heating Plate Made Of
Toughened Glass
Loading Up To 25kg

Performance

Slow Cooking
3 Heating Methods
• Cup Warming
• Plate Warming
• Warming

MGBW 11 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
140 X 594 X 518 mm
Installation Dimensions (HxWxD)
140-140x560-568x550mm

Technical Information

Total Connected Load: 820W
Voltage: 220 – 240V
Power Frequency: 50/60hz/10A

Features

Push-pull Mechanism
Heating Plate Made Of
Toughened Glass
Loading Up To 25kg

Performance

Slow Cooking
3 Heating Methods
• Cup Warming
• Plate Warming
• Warming



MONOGRAM



Built-in Coffee Maker

Welcome to the luxurious life. With monogram coffee maker you have actually brought a coffee shop into your kitchen and you will be able to drink espresso, latte, americano, cappuccino, macchiato and mocha anytime you want... enjoy.



MGBC 6045 DB



Measurements (in mm)

Product Dimensions (HxWxD)
455 X 594 X 450 mm
Installation Dimensions (HxWxD)
450 X 560 X 420 mm

Technical Information

Capacity Water Container: 1.8l
Voltage: 220 – 240V
Power Frequency: 50/60hz/10A

Performance

Silentcream Drive
Water Pump With 15 Bar
Pressure

Cleaning Functions

Automatic calc clean
Removable Brewing Unit
Dishwasher-proof
Automatic Reminder For Cleaning
Descaling Or Water Filter Change

Features

Touch Control
Digital Control Ring
LED Display
Coffee World
Favourites
Up To 32 Beverages
Aroma Select
Aromadouble Shot
Intelligent Strength Adjustment
Onetouch Doublecup
Adjustable Milk Ratio For Classic
Milk
Mix Beverages
Warm Milk, Milk Froth And Hot
Water
Function
Height Adjustable Beverage Outlet
Telescopic Raile Function
Grinder 7 Leves

MGBC 01 X GE



Measurements (in mm)

Product Dimensions (HxWxD)
455 X 594 X 450 mm
Installation Dimensions (HxWxD)
450 X 560 X 420 mm

Technical Information

Capacity Water Container: 1.8l
Voltage: 220 – 240V
Power Frequency: 50/60hz/10A

Performance

Silentcream Drive
Water Pump With 19 Bar
Pressure

Cleaning Functions

Automatic calc clean
Removable Brewing Unit
Dishwasher-proof
Automatic Reminder For Cleaning
Descaling Or Water Filter Change

Features

Touch Control
Digital Control Ring
LED Display
Coffee World
Favourites
Up To 32 Beverages
Aroma Select
Aromadouble Shot
Intelligent Strength Adjustment
Onetouch Doublecup
Adjustable Milk Ratio For Classic
Mix Beverages
Warm Milk, Milk Froth And Hot
Function
Height Adjustable Beverage
Outlet
Telescopic Raile Function
Grinder 5 Leves



Built-in Washing Machine Dishwasher

With great effort, we managed to create one of the best possible washing machines in the entire world for our customers, in such a way that not only brought cleanliness and softness to all kinds of clothes with different washing programs, but also the drum is one of the best kinds that caused the least possible damage to the fabric of clothes duration using monogram washing machines.

The most important goal of Monogram company is to make living conditions in homes more comfortable, and we will not achieve this goal unless we provide the best type of dishwasher for our customers, so we can assure that by using Monogram dishwasher you will feel the shine and cleanliness in your dishes when you are resting with comfort and peace.



BWD B 1209 G



Measurements (in mm)

Product Dimensions (HxWxD)
886 X 600 X 580 mm
Installation Dimensions (HxWxD)
825 X 595 X 535 mm

Technical Information

Capacity: 8 Kg
Voltage: 220 – 240V
Power Frequency: 50/60hz/16A

Features

- Function Led Display
- My Cycle, Baby Care
- Prewash/Extra Rinse
- Delay Start (0-24h)
- Spin Speed/Temp
- Selection Child Lock

Performance

- 16 Programs
- Cotton
- Sport
- Synthetic
- Mixed
- Delicate
- Wool
- Baby Care
- Quick 15
- Rapid 45
- 20 C
- Jeans
- Eco 40-60
- Intensive
- Rines& Spin
- Spin Only
- My Cycle

MOBD 1563 XG



Measurements (in mm)

Product Dimensions (HxWxD)
820 X 600 X 560 mm
Installation Dimensions (HxWxD)
820 X 595 X 550 mm

Features

- 60cm Fully Integrated Dish-washer
- 12/14 Place Setting Capacity
- Stainless Steel Interior
- Electronic Control With LED Display
- Water Overflow Protection
- Height Adjustable Upper Basket
- Child Lock; 3 In 1 Included

Performance

- 7 Programs
- Intensive
- Normal
- Economic
- Rapid & Pre-rinse
- Crystal
- 60 Min
- Rapid



Built-in Fridge & Freezer

The most important component in refrigerator-freezers is the use of high advance materials in their construction to ensure the internal and external lifespan of the structure. much attention has been paid to this importance in Monogram refrigerators, while scientific knowledge has been optimally used to preserve and maintain the quality of foods in it. Cheers





MBRF 550 XGE

Measurements (in mm)

Total volume (L): 550
 Freezer (L): 210
 Fridge (L): 340
 Product Dimension (HxWxD):
 1853 x 906 x 560
 Installation Dimensions (HxWxD):
 1858 x 906 x 570

Features

Patent Technology
 Food Safty Certificate
 Classic
 Sus 304 Food Level Stainless Steel Liner
 Vegetabel Box/Drawer/Rack
 Double Door Big Capacity
 Hittch Hinge
 Special Design Rack
 LED Panel Light
 Easy Install



MBF 250 GE

Measurements (in mm)

Product Dimensions (HxWxD)
 1785 x 560 x 550 mm
 Installation Dimensions (HxWxD)
 1776 x 540 x 540 mm
 Total volume (L): 250

Features

- Energy Grade: A
- Color: White
- Sound 42 Db
- Number Of Drawer: 7
- No Frost
- European Plug



MBR 350 GE

Measurements (in mm)

Product Dimensions (HxWxD)
 1785 x 560 x 550 mm
 Installation Dimensions (HxWxD)
 1776 x 540 x 540 mm
 Total volume (L): 350

Features

- Energy Grade: A
- Color: White
- Sound 42 Db
- Number Of Shelves: 5
- Number Of Drawer: 2
- No Frost
- European Plug



MBRC 430 GE

Measurements (in mm)

Total volume (L): 238
 Freezer (L): 69
 Fridge (L): 169
 Product Dimensions (HxWxD)
 1770 x 540 x 545 mm
 Installation Dimensions (HxWxD)
 1776 x 558 x 560 mm

Features

- Energy Grade: A
- Color: White
- Sound 42 Db
- No Frost
- High Efficiency Inverter Compressor
- Safety Glass
- Easy Lift
- Drawer/Hettich Hinge
- Bottom Directly Heat
- Transfer/ Easy Install
- Unique 3 Drawer Design
- Smart fridge
- Super Freezing
- Super Cooling



MBR 110 GE

Measurements (in mm)

Product Dimensions (HxWxD)
 820 x 595 x 545 mm
 Installation Dimensions (HxWxD)
 830 x 605 x 550 mm
 Total volume (L): 110

Features

- Energy Grade: A
- Color: White
- Sound 42 Db
- Number Of Shelves: 3
- European Plug
- Safety Glass
- Soft Closing Door



MBF 250 XGE

Measurements (in mm)

Product Dimensions (HxWxD)
 1870 x 553 x 559 mm
 Installation Dimensions (HxWxD)
 1875 x 563 x 564 mm
 Total volume (L): 250

Features

- Energy Grade: A
- Color: Silver
- Sound 42 Db
- No Frost
- High Efficiency Inverter Compressor
- Ag+ Antibiosis
- Sus 304 Food Level
- Stainless Steel
- Drawer/Hettich Hinge
- Bottom Directly Heat
- Transfer/ Easy Install
- Unique 5 Stainless Steel Drawer Design
- Smart fridge
- Freezing zone



MBR 360 XGE

Measurements (in mm)

Product Dimensions (HxWxD)
 1870 x 553 x 559 mm
 Installation Dimensions (HxWxD)
 1875 x 563 x 564 mm
 Total volume (L): 360

Features

- Energy Grade: A
- Color: Silver
- Sound 42 Db
- No Frost
- European Plug
- High Efficiency Inverter Compressor
- Ag+ Antibiosis
- Sus 304 Food Level
- Stainless Steel
- Drawer/Hettich Hinge
- Bottom Directly Heat
- Transfer/ Easy Install
- Unique 3 Stainless Steel Drawer Design



Built-in Hood

Hoods may not be given much attention in the kitchen, but the fact is that the optimal performance of this structure causes the elimination of inappropriate odors in our living areas and can provide a more pleasant environment for the residents of the house. Monogram hoods will help us to create such conditions due to their high suction power and strong and suitable filters, and of course, they do this in silence due to having strong and quiet engines.



DC DUAL BLACK



Measurements (in mm)

Product Dimensions (HxWxD)
793 x 292 x 300 mm
Installation Dimensions (HxWxD)
775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- LED Light
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter

DC DUAL WHITE



Measurements (in mm)

Product Dimensions (HxWxD)
793 x 292 x 300 mm
Installation Dimensions (HxWxD)
775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- LED Light
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter

OMEGA X



Measurements (in mm)

Product Dimensions (HxWxD)
700 x 300 x 310 mm
Installation Dimensions (HxWxD)
640 x 255 x 295 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- 4 Power Levels
- 2 LED Lights
- Power of Suction 780 m³/h
- Stainless Steel Frame
- Silence Bakelite Fan
- Washable Filter

KONVEX BLACK



Measurements (in mm)

Product Dimensions (HxWxD)
793 x 292 x 300 mm
Installation Dimensions (HxWxD)
775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- 2 LED Lights
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter

KONVEX SILVER




Measurements (in mm)

Product Dimensions (HxWxD)
793 x 292 x 300 mm
Installation Dimensions (HxWxD)
775 x 275 x 290 mm

Features

- Kitchen Cupboard Installation
- Rim Ventilation
- Full Touch Button Control
- 4 Power Levels
- 2 LED Lights
- Power of Suction 750 m³/h
- Glass Frame
- Silence Bakelite Fan
- Washable Filter






MGBH 905 GB 88 GE

Measurements (in mm)

Product Dimensions (LxWxH)
900 x 520 x 55 mm
Installation Dimensions (LxWxH)
860 x 480 x 55 mm

Specifications

Total power(W): 8600 W
Left up power(W): 1200 W
Left down zone(W): 2400 W (800+800+800)
Middle zone(W): 2000 W (1100+900)
Right up zone(W): 1200 W
Right down zone(W): 1800 W
Housing: Metal Housing
Glass: Kanger



MGBH 604 GB 86 GE

Measurements (in mm)

Product Dimensions (LxWxH)
590 x 520 x 55 mm
Installation Dimensions (LxWxH)
560 x 490 x 55 mm

Specifications

Total power(W): 7000 W
Left up power(W): 1800 W
Left down zone(W): 2000 W (1000+1000)
Right up zone(W): 2000 W (1100+900)
Right down zone(W): 1200 W
Housing: Metal Housing
Glass: Kanger



MGBH 302 GB 83 GE

Measurements (in mm)

Product Dimensions (LxWxH)
295 x 510 x 55 mm
Installation Dimensions (LxWxH)
270 x 480 x 55 mm

Specifications

Total power(W): 3200 W
up zone(W): 2000 W (1100+1100)
down zone(W): 1200 W
Housing: Metal housing
Glass: Kanger



Built-in Hob

When it comes to hobs, we are proud to announce that due to the use of the highest quality parts in the construction, along with the latest technology, we have brought quality and safety to our customers at the same time, enjoy cooking with Monogram hobs...

“





MGBH 915 XS 51 GE

Measurements (in mm)

Product Dimensions (LxWxH)
860 x 510 x 85 mm
Installation Dimensions (LxWxH)
830 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel
Cast Iron Pan Support
Metal Knob



MGBH 915 XS 52 GE

Measurements (in mm)

Product Dimensions (LxWxH)
909 x 510 x 85 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Metal Knob



MGBH 915 XS 53 GE

Measurements (in mm)

Product Dimensions (LxWxH)
909 x 510 x 85 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Iron Pan Support
Metal Knob



MGBH 604 XS 29 GE

Measurements (in mm)

Product Dimensions (LxWxH)
600 x 515 x 90 mm
Installation Dimensions (LxWxH)
570 x 480 x 85 mm
With Defendi Burner
Stainless Steel Panel With Alu. Fornt Panel
Cast Iron Pan Support
Metal Knob



MGBH 302 XS 21 GE

Measurements (in mm)

Product Dimensions (LxWxH)
500 x 290 x 90 mm
Installation Dimensions (LxWxH)
480 x 270 x 90 mm
With Defendi Burner
Stainless Steel
Cast Iron Pan Support
Metal Knob



MGBH 915 GB 81 GE

Measurements (in mm)

Product Dimensions (LxWxH)
865 x 510 x 90 mm
Installation Dimensions (LxWxH)
845 x 480 x 90 mm
With defendi Burner
Tempered Glass
Cast Iron Pan Support
Metal Knob



MGBH 915 GB 82 GE

Measurements (in mm)

Product Dimensions (LxWxH)
875 x 510 x 90 mm
Installation Dimensions (LxWxH)
850 x 480 x 90 mm
With Defendi Burner
Tempered Glass Panel
Cast Iron Pan Support
Metal Knob



MGBH 915 GB 83 GE

Measurements (in mm)

Product Dimensions (LxWxH)
860 x 480 x 90 mm
Installation Dimensions (LxWxH)
870 x 480 x 85 mm
With Defendi Normal Burner
Tempered Glass Panel With Alu. Front Panel
Cast Iron Pan Support
Metal Knob



MGBH 905 GB 75 GE

Measurements (in mm)

Product Dimensions (LxWxH)
890 x 520 x 90 mm
Installation Dimensions (LxWxH)
860 x 480 x 90 mm
With Sabaf Normal Burner
Tempered Glass Panel
Cast Iron Pan Support



MGBH 900 GB 90 GE

Measurements (in mm)

Product Dimensions (LxWxH)
890 x 520 x 90 mm
Installation Dimensions (LxWxH)
860 x 480 x 90 mm
With Sabaf Normal Burner
Tempered Glass Panel
Cast Iron Pan Support



Taps & Sink

Monogram kitchen taps are designed in such a way that along with comfort and also provide the highest efficiency for the consumer.

Monogram hand made sinks are made with highest quality and extreme consideration in the way that can increase the prestige of a kitchen.



250mm



SPOT

Chrome
Water outlet: two
Filter valve



OLIVIA

Chrome
Water outlet: one



CRISTINA

Chrome
Water outlet: one



ELEGANT

Chrome
Water outlet: Two
Rotating 360-degree
Filter valve



MAST

Chrome
Water outlet: one
Rotating 360-degree



FLEXI

Chrome
Water outlet: one
Rotating 360-degree



DESIGN

Chrome
Water outlet: two
Filter valve



CROSS

Chrome
Water outlet: Two
Rotating 360-degree
Filter valve



GALILEO

Chrome
Water outlet: one
Rotating 360-degree



NOMOS

Chrome
Water outlet: one number



DESIGN

Chrome
Water outlet: one
4-way rotation function



SWING

Chrome
Water outlet: Two
Rotating 360-degree
Filter valve



FLUID

Chrome
Water outlet: one



STYLUX 104

Measurements (in mm)

Dimensions 1040x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump



PRAKTIK 104

Measurements (in mm)

Dimensions 1040*450 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- Flushmount
- Undermount



VARIANT 50

Measurements (in mm)

Dimensions 500x400 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 200 mm
- Steel thickness 12 mm



MASTER 85

Measurements (in mm)

Dimensions 850*450 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Sink bottom grid
- Undermount



STYLUX 90

Measurements (in mm)

Dimensions 900x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump



PRAKTIK 90

Measurements (in mm)

Dimensions 900*450 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- Flushmount
- Undermount



VARIANT 40

Measurements (in mm)

Dimensions 440x440 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 200 mm
- Steel thickness 12 mm



ZOOM

Measurements (in mm)

Dimensions 1160*500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- right tray & left tray
- Undermount



STYLUX 74

Measurements (in mm)

Dimensions 740x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump



PRAKTIK 84

Measurements (in mm)

Dimensions 840*450 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- Flushmount
- Undermount



VARIANT 20

Measurements (in mm)

Dimensions 400x200 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 200 mm
- Steel thickness 12 mm



LINE PURE 116

Measurements (in mm)

Dimensions 1160*500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- right tray & left tray
- Undermount



KAMBINO 98

Measurements (in mm)

Dimensions 980x500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump
- Flushmount
- Undermount



KAMBINO 88

Measurements (in mm)

Dimensions 880*500 mm

Features

- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Movable basin
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump
- Flushmount
- Undermount



COPPER 80

Measurements (in mm)


Dimensions 800x500 mm

Features


- Handmade sink
- Aisi 304 Stainless Steel
- Sound Deadening Technology
- Corrosion & Rust Resistant
- Easy To Clean
- Quick & Easy To Instal
- Sink depth 250 mm
- Steel thickness 12 mm
- Fruit washing basket
- Rolling dish drying rack
- soap dispenser pump
- Flushmount




OVENS




COMBI




MBRC 430 GE




MBR 110 GE




MGBM 26XGE - MGBM 280XGE




WARMING DRAWERS




COFFEE MAKER




MGBH 915 GB 81 GE - MGBH 915 GB 82 GE
MGBH 915 GB 83 GE - MGBH 915 XS 51 GE




MGBH 905 GB 88 GE - MGBH 905 GB 75 GE
MGBH 915 XS 52 GE - MGBH 915 XS 53 GE




SIDE BY SIDE




MBF 250 GE - MBR 350 GE




MBF 260 XGE - MBR 360 XGE




MGBH 604 GB 86 GE - MGBH 604 XS 29 GE




MGBH 302 GB 83 GE - MGBH 302 XS 21 GE




WASHING MACHINE




DISHWASHER



OMEGA X



DC DUAL - KONVEX



A TOUCH OF LUXURY

“

This Catalogue is for using
in United Arab Emirates.

601, Escape Tower, Business Bay Dubai,
UAE

www.MONOGRAMPL.com
info@monogrampl.com

